

In Re Patent Application of:
ROY
Serial No: **10/780,949**
Filing Date: **FEBRUARY 18, 2004**

In the Claims:

This listing of claims replaces all prior versions and listing of claims in the application.

1. (Previously amended) A communications system comprising:
 - at least one data storage device for storing messages for respective users;
 - a plurality of mobile wireless communications devices each associated with a respective user for accessing the messages stored on said at least one data storage device; and
 - an adaptive polling engine for polling said at least one data storage device for stored messages and providing the polled messages to mobile wireless communications devices of respective users;
 - said adaptive polling engine learning respective user usage patterns for each mobile wireless communications device, and changing a respective rate of polling for each mobile wireless communications device based thereon, and also based upon a given mobile wireless communications device being outside a wireless coverage area.

2. (Original) The communications system of Claim 1 wherein the user usage patterns are based upon a time of day.

In Re Patent Application of:

ROY

Serial No: **10/780,949**

Filing Date: **FEBRUARY 18, 2004**

3. (Original) The communications system of Claim 1 wherein the user usage patterns are based upon a day of the week.

4. (Original) The communications system of Claim 1 wherein said adaptive polling engine also changes the rate of polling for each mobile wireless communications device based upon at least one positive polling event and at least one negative polling event.

5. (Original) The communications system of Claim 4 wherein the at least one negative polling event comprises a lack of authorized communications with said adaptive polling engine.

6. (Cancelled).

7. (Original) The communications system of Claim 5 wherein the lack of authorized communications with said adaptive polling engine is based upon an invalid user login.

8. (Original) The communications system of Claim 4 wherein the at least one negative polling event comprises a decrease in storage of messages for the respective user at the at least one data storage device.

9. (Original) The communications system of Claim 4 wherein the at least one positive polling event comprises an

In Re Patent Application of:

ROY

Serial No: **10/780,949**

Filing Date: **FEBRUARY 18, 2004**

increase in storage of messages for the respective user at the at least one data storage device.

10. (Original) The communications system of Claim 4 wherein the at least one positive polling event comprises an increase in message access requests from a given mobile wireless communications device.

11. (Original) The communications system of Claim 1 wherein the messages comprise electronic mail (e-mail) messages.

12. (Original) The communications system of Claim 1 further comprising a wide area network (WAN) interfacing said mobile wireless communications devices with said adaptive polling engine.

13. (Original) The communications system of Claim 1 further comprising a wireless network interfacing said mobile wireless communications devices with said adaptive polling engine.

14. (Previously amended) An adaptive polling engine for interfacing a plurality of mobile wireless communications devices each associated with a respective user with at least one data storage device, the at least one data storage device for

In Re Patent Application of:
ROY
Serial No: **10/780,949**
Filing Date: **FEBRUARY 18, 2004**

storing messages for respective users, the adaptive polling engine comprising:

an interface module for interfacing the adaptive polling engine with the mobile wireless communications devices; and

an adaptive polling engine module coupled to said interface module for polling the at least one data storage device for stored messages and providing the polled messages to mobile wireless communications devices of respective users;

said adaptive polling engine module learning respective user usage patterns for each mobile wireless communications device and changing a respective rate of polling for each mobile wireless communications device based thereon, and also based upon a given mobile wireless communications device being outside a wireless coverage area.

15. (Original) The adaptive polling engine of Claim 14 wherein the user usage patterns are based upon at least one of a time of day and a day of the week.

16. (Original) The adaptive polling engine of Claim 14 wherein said adaptive polling engine module also changes the rate of polling for each mobile wireless communications device based upon at least one positive polling event and at least one negative polling event.

In Re Patent Application of:
ROY
Serial No: **10/780,949**
Filing Date: **FEBRUARY 18, 2004**

17. (Original) The adaptive polling engine of Claim 16 wherein the at least one negative polling event comprises a lack of authorized communications.

18. (Cancelled).

19. (Original) The adaptive polling engine of Claim 17 wherein the lack of authorized communications is based upon an invalid user login.

20. (Original) The adaptive polling engine of Claim 14 wherein said interface module comprises a firewall module.

21. (Previously amended) A method for interfacing a plurality of mobile wireless communications devices each associated with a respective user with at least one data storage device, the at least one data storage device for storing messages for respective users, the method comprising:

polling the at least one data storage device using an adaptive polling engine module for stored messages and providing the polled messages to mobile wireless communications devices of respective users; and

learning respective user usage patterns for each mobile wireless communications device using the adaptive polling engine module and changing a respective rate of polling for each mobile wireless communications device based thereon, and also based upon

In Re Patent Application of:
ROY
Serial No: **10/780,949**
Filing Date: **FEBRUARY 18, 2004**

a given mobile wireless communications device being outside a wireless coverage area.

22. (Original) The method of Claim 21 wherein the user usage patterns are based upon at least one of a time of day and a day of the week.

23. (Previously amended) The method of Claim 21 wherein changing the respective rate of polling comprises changing the respective rate of polling for each mobile wireless communications device based upon at least one positive polling event and at least one negative polling event.

24. (Original) The method of Claim 23 wherein the at least one negative polling event comprises a lack of authorized communications with a given mobile wireless communications device.

25. (Currently amended) A computer-readable medium having computer-executable modules for interfacing a plurality of mobile wireless communications devices each associated with a respective user with at least one data storage device, the at least one data storage device for storing messages for respective users, the computer-readable medium comprising:

In Re Patent Application of:
ROY
Serial No: **10/780,949**
Filing Date: **FEBRUARY 18, 2004**

an interface module for interfacing the ~~adaptive~~
~~polling engine~~ with the mobile wireless communications devices;
and

a an adaptive polling engine module coupled to said
interface module for polling the at least one data storage device
for stored messages and providing the polled messages to mobile
wireless communications devices of respective users;

said adaptive polling engine module learning respective
user usage patterns for each mobile wireless communications
device and changing a respective rate of polling for each mobile
wireless communications device based thereon, and also based upon
a given mobile wireless communications device being outside a
wireless coverage area.

26. (Original) The computer-readable medium of Claim
25 wherein the user usage patterns are based upon at least one of
a time of day and a day of the week.

27. (Original) The computer-readable medium of Claim
25 wherein said adaptive polling engine module also changes the
rate of polling for each mobile wireless communications device
based upon at least one positive polling event and at least one
negative polling event.

28. (Previously amended) The computer-readable medium
of Claim 27 wherein the at least one negative polling event

In Re Patent Application of:

ROY

Serial No: **10/780,949**

Filing Date: **FEBRUARY 18, 2004**

comprises a lack of authorized communications with the adaptive polling engine module.